



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH

P.O. BOX 7909 • RIVERSIDE, CA 92513-7909

KEITH JONES, DIRECTOR

July 24, 2019

**FORMAL PUBLIC REVIEW NOTICE**

**RISK MANAGEMENT PLAN  
DOCUMENT REVIEW**

In accordance with California Health and Safety Code (HSC), Chapter 6.95, Article 2, Section 25535.2 and California Code of Regulations (CCR), Title 19, Division 2, Chapter 4.5, Section 2745.2(c), notice is hereby given that the Risk Management Plans (RMPs) are complete for the following site locations:

**Metropolitan Water District, Henry J. Mills Water Treatment Plant**

550 E Alessandro Blvd.

Riverside, CA 92508

The above RMP(s) are available for public review and comment for forty-five (45) days from the date of posting. Any comments submitted by the public to Riverside County Department of Environmental Health, Hazardous Materials Management Branch Certified Unified Program Agency (CUPA) will be taken into consideration during the evaluation review.

If you are interested in reviewing an RMP for one of the facilities listed above, please contact the CUPA at the address or phone number listed below, Monday through Friday, between the hours of 7:00 AM and 5:30 PM.

Riverside County DEH  
Hazardous Materials Management Branch Records Custodian  
4065 County Circle Drive  
Riverside, CA 92503  
Phone: (951) 358-5055  
Fax: (951) 358-5342  
TTY: (951) 358-5396

Upon your arrival at our office, please be prepared to provide official photo identification (e.g., valid driver license/ID or passport), and complete and sign a login sheet to review RMP(s). In accordance with CCR, Title 19, Division 2, Chapter 4.5, Section 2775.5(b), certain sections of the RMP(s) may be read, but not reproduced, printed, scanned, or imaged.

Office Locations: Blythe • Corona • Hemet • Indio • Murrieta • Palm Springs • Riverside

(888)722-4234 • rivcoeh.org